



Rolling Roff - Pergola Tente

Stylish, Comfortable Living Spaces



Rolling Roof


It works without any problems in all weather conditions, with full impermeability and strength. The Rolling Roof sunroof system is much superior to the sunshade roof systems in terms of cleaning.

Bioclimatic Smart Pergola



Rolling Roof offers new benefits to its customers by offering a different movement system compared to conventional sunroof systems. Rolling Roof 2mm profile thickness panels first rotate around their own axis, providing the users with ventilation, benefiting from sunlight at the desired rate or shading. All the panels that rotate around their own axis are collected backwards, as in the glass sunroof, creating a fully open ceiling area.

Rolling Roof allows the effects of the external environment (such as daylight) to be taken indoors at the desired rate or to remove them from the interior space. Many advantages that the pergola and tarpaulin systems currently in the market cannot offer are offered to users with Rolling Roof. The ceiling closing method, known as pergola in the market, is used for shading and water entry into the interior cannot be prevented in rainy weather.








In the tarpaulin sunroof system, sealing poses a serious problem in rainy weather. In addition, the tarpaulin cannot carry a snow load. Again, in tarpaulin sunroof systems, the tarpaulin cover should be changed periodically due to wear.

The tarpaulin should be kept completely closed in rainy weather to prevent the indoor environment from getting water. However, since the panels can be folded at the desired angle in the Rolling Roof sunroof system, it is possible to open a little between the panels, even though the outdoor environment is rainy, and ventilate without water intrusion into the interior area.


As it is known, in the tarpaulin sunroof systems, since the snow load cannot be carried, the tarpaulin cover has to be opened in the weather with heavy snowfall, and the area with the roof closed becomes unusable.









TRAVE
BEAM




TUBO
TUBE
115x115




TRAVE
BEAM




GRONDA
GUTTER




CARTELLINA
DI COPERTURA
COVERING BOARD





ASTA DI
MOVIMENTAZIONE
MOVEMENT ROD




COMPENSATORE
JOINT





LAMELLA/SLAT*
interasse/centre
distance 170 mm




TAPPI PER LAMELLA
CAPS FOR SLATS




PERNI DI ROTAZIONE
(INTERASSE 170)
ROTATION PINS
CENTRE DISTANCE 170)




KIT TRAVE CENTRALE
CENTRAL BEAM KIT




KIT MODULO SINGOLO
SINGLE MODULE KIT



KIT PIEDE AGGIUNTIVO
SINGLE BOTTOM KIT



KIT VITE TCE M6X14
+ DADO (INOX A2)
CYLINDRICAL HEX SOCKET HEAD
SCREW KIT
M6X14 + NUT (STAINLESS A2)



MOTORE
MOTOR



RILEVATORE PIOGGIA
RISCALDATO
WARMED UP RAIN
DETECTOR



SENSORE VENTO / LUMINOSITA'
WIND / LIGHT SENSOR



SENSORE VENTO
WIND SENSOR

CENTRALINA PER COMANDO
MOTORIZZATO
MOTOR CONTROL UNIT



Pergola Awning

Enjoy the sunshine and fresh air outdoors or sit in the rain. Pergola awning provides you an extra living space intertwined with nature. With its waterproof canvas structure, it not only provides shade, but also

% 100 UV Protected



It allows you to enjoy your terrace and garden by creating a new space in your home that will be intertwined with nature. We are proud to let you live under the palm trees. Pergolas are generally used in homes, hotels, restaurants and cafes. They are the best solution to increase living space without the need for construction works.

It guarantees maximum safety and functionality during use with 100% UV protection of tried and tested brands with quality control.

Thanks to this product, which will provide comfort to you and your family, which you will want to see and apply in all projects, thanks to easy and comfortable living space styles thanks to comfort architectural systems in all seasons, terraces, more beautiful pools, more lively hotels are more interesting, and they are always proud of keeping comfort and peace together. Choose from dozens of designs and hundreds of color combinations for yourself or your workplace.





Before designing a new product in the winter garden, we carry out our R&D studies with advanced technology in line with the wishes of our valued users.


We are always increasing our new user network when designing products. With carrier aluminum profiles, the desired angle can be given thanks to the control and motor on the upper part, so that the desired shading can be achieved. When fully closed, it offers full comfort thanks to its 100% waterproof feature.


The product with side closures can be folded and the desired area can be obtained with guillotine glass systems.

It is designed in accordance with your project without any water leakage from the side pillars thanks to its special water drainage channels. It is a product that can be painted in the desired rail color.




	WP 3514 03	DUVAR FLANŞI WALL FLANGE
	WP 3514 02	RAY AYNA RAIL HANGER
	WP 3514 01	MOTOR AYNA ENGINE HANGER
	WP 3515	MOTOR FLANŞI CAP OF ENGINE HANGER
	WP 3514 06	MOTOR TRİGER DİŞLİSİ GEAR OF ENGINE
	WP 3514 07	RAY TRİGER DİŞLİSİ GEAR OF RAIL
	WP 3514 10	BÜYÜK RULMAN BEARING OF GEAR
	WP 3514 S	PLASTİK AYAK FLANŞI PLASTIC LEG ADEPTER
	WP 3514 1	METAL AYAK FLANŞ METAL SHEET FLANGE
	WP 3516	U SABİTLEME İNCE RAY SMALL RAIL U ADAPTER
	WP 3516 1	U SABİTLEME KALIN RAY BIG RAIL U ADAPTER
	WP 3519 S	OLUK KAPAK TAKIMI CHANNEL PROFILE CAPS






WP 3514 14B	RAY ÖN KAFA PLASTİĞİ RAIL FRONT PLASTIC CAP
WP 3514 04	BÜYÜK RAY KAFA SACI BIG RAIL FRONT METAL CAP
WP 3514 15	PLS ÖN GİRDİRME TAKIMI PLS FRONT STREACHING GROUP
WP 3514 05	ALM. GİRDİRME PİMİ ALM. STREACHING PIN
WP 3514 11	KÜÇÜK RULMAN BEARING OF STREACHING
WP 3520	TRİGER KİTLEME TAKIMI TRIGGER STRAP LOCKS
WP 3514 09	ÖN TAŞIYICI ARABA APARATI PART OF CARRIER WHEEL
WP 3517	RAY BAĞLANTI SOMUNU 25X45 RAIL ADAPTER NUT 25X45
WP 3501 S	ÖN OLUK RÜZGAR FİTİLİ FRONT CHANNEL WIND GASKET
WP 3503	KABLO FİTİLİ CABLE GASKET
WP 3502	BRANDA FİTİLİ AWNING FABRIC GASKET



	WP 3508 S	İNCE TAŞIYICI ORTA TAKOZ THIN CONVEYOR MIDDLE ADEPTER
	WP 3507 S	İNCE TAŞIYICI YAN TAKOZ THIN CONVEYOR ENDING ADAPTER
	WP 3511	LED IŞIK KAPAĞI LED LIGHT CAP
	WP 3512 B	PLASTİK İNCE TAŞIYICI TAKOZ KAPAĞI PLASTIC THIN CONVEYOR MIDDLE ADAPTER CAP
	WP 3563 S	KALIN TAŞIYICI ORTA TAKOZ THICK CONVEYOR MIDDLE ADAPTER
	WP 3512 02B	PLASTİK KALIN TAŞIYICI KAPAĞI PLASTIC THICK CONVEYOR ADAPTER CAP
	WP 3509 B	KALIN TAŞIYICI YAN TAKOZ THICK CONVEYOR ENDING ADEPTER
	WP 3505 B	ORTA ARABA MIDDLE BEARING GROUP
	WP 3506 B	PLASTİK YAN ARABA PLASTIC ENDING BEARING GROUP
	WP 3514 08	ORTA ARABA CONTASI MIDDLE BEARING GASKET
	WP 3518	ARA KAYIT FLANŞI MIDDLE FLANK FLANGE
	WP 3518	KARE ARA KAYIT FLANŞI SQUARE MIDDLE FLANK FLANGE



	WP 3504	TRİGER KAYIŞ T - 10 - 16 mm TRIGER STRAP T - 10 - 16 mm
	WP 3523	STOR SAC CORRUGATED SHEET METAL
	WTP 3550	TENTE KUMAŞI AWNING FABRIC
	WTP 3559	BECKER / MOTOR 120 NW BECKER ENGINE 120 NW
	WTP 3552	SOMFY MOTOR 120 NW SOMFY ENGINE 120 NW
	WTP 3554	TRAFO 12 VOLT 12,5 AMP TRANSFORMER 12 VOLT
	WTP 3563	BEYAZ LED WHITE LED BAR
	WTP 3562	LED GÜNIŞIĞI DAYLIGHT LED BAR

	WTP 3556	LED KABLOSU 70cm TEK SOKET LED CAPLE 70cm SINGLE SOCKET
	WTP 3555	LED KABLOSU 70cm ÇİFT SOKET LED CAPLE 70cm DOUBLE SOCKET
	WP 3553	SOMFY TELİS 1 UZAKTAN KUMANDA TELİS 1 REMOTE CONTROL
	WP 3554	SOMFY TELİS 4 UZAKTAN KUMANDA TELİS 4 REMOTE CONTROL
	WP 3560	SOMFY TELİS 16 UZAKTAN KUMANDA TELİS 16 REMOTE CONTROL
	WTP 3564-1	CUPPON 6 KANALLI KUMANDA CUPPON REMOTE CONTROL 6 CHANNEL
	WTP 3564-2	CUPPON 15 KANALLI KUMANDA CUPPON REMOTE CONTROL 15 CHANNEL
	WP 3561	WINPERAX ALICI 4 KANAL WINPERAX RECIEVER 4 CHANNEL
	WP 3562	WINPERAX ALICI 2 KANAL WINPERAX RECIEVER 2 CHANNEL

Movable Glass Ceiling

It can be considered as a pleasant and stylish environment for those who want to experience all the beauties of nature. For those who want an area full of flowers and in nature in winter, it is prepared in the right and wide outdoor areas and comfortable use is provided.

A Life Intertwined with Nature



Lift the roof between you and the sky with a single touch. You can open or close your roof whenever you want. How about having a living space where you can leave out the rain, snow and wind in winter and enjoy the sun to the fullest in summer? Enjoy using your garden and terraces according to the season. It saves more space. It creates a spacious environment that can be lived between your garden and your home.

From winter conditions in your garden; Winter Garden Systems is an elegant, architectural solution offered to you in closing your open spaces, with the option of a glass roof that you can open whenever you want without breaking your contact with the blue sky and green environment that is sheltered from wind, rain and snow. It is manufactured from specially produced roof profiles. The winter garden is built on a steel structure. This structure carries the roof. Aluminum roof profiles also carry the movable glass load.







It expands their living space. It provides thermal insulation in the place where it is built. It reduces its effects not only in cold and rainy weather, but also in the scorching heat of summer months.










It offers solutions with a wide range of models and products to be applied to every space of these systems. The top of the space can be completely closed as well as fully opened. It provides heat saving thanks to its thermal insulation. Thanks to the waterproofing in rainy and rainy weather, water does not get inside.


The windows are resistant to wind and impact. Ceiling systems are very easy to clean. Also, since they are made of stainless material, they will not rust. Maintenance needs are also very low and can be used easily for many years.




	WP 3514 03	DUVAR FLANŞI WALL FLANGE
	WP 3514 S	BRANDA FİTİLİ AWNING FABRIC GASKET
	WP 3514 01	METAL AYAK FLANŞ METAL SHEET FLANGE
	WP 3519 S	OLUK KAPAK TAKIMI CHANNEL PROFILE CAPS





	WA 4013	CAM TAVAN DİKME PRF. LIFTING CEILING FRAME
	WA 4002	KUTU ÖN VE ARKA P. FRONT-BACK OF THE ENGINE BOX
	WA 4003	KUTU ALT VE ÜST P. BOTTOM-TOP OF THE ENGINE BOX
	WTA 026	OLUK PROFİLİ CHANNEL PROFILE
	WTA 027	ÖN AYAK PROFİLİ FRONT PILLAR PROFILE
	WA 4009	VİDA ÇITASI HIDING SCREWS
	WA 4010	ISICAM BAZA TIRNAKLI THERMAL PROTRUDING GLASS VANE
	WA 4011	ISICAM BAZA TIRNAKSIZ P. THERMAL UN PROTRUDING GLASS VANE
	WA 4012	ISICAM YAN BAZA PRF. THERMAL VERTICAL GLASS VANE



	WP 4118	CAM TAVAN FLANŞI GLAZING RAIL HANGER
	WP 3514-06	MOTOR TRİGER DİŞLİSİ GEAR OF ENGINE
	WP 4109	BORU BAŞI TUBE ADAPTER
	WP 4102	H. KÜPEŞTE RULMANI L. BALUSTRADE BEARING
	WP 4103	YAN KAPAK RULMAN BAĞLANTI BEARING ADAPTER
	WP 3504	TRİGER KAYIŞ T - 10 TRİGER STRAP T - 10
	WP 4105	HALAT KELEPÇESİ STRAP CLAMP
	WP 4008	70 LİK BORU 7 metre 70 mm TUBE LENGHT 7m




	WP 4111	ISICAM TEKERİ THERMAL VANE WHEEL
	WP 4112	ISICAM YAN KAPAK THERMAL VANE CAP



Vertical Sliding Window System


This model, which is highly preferred in both summer and winter months, also provides the benefit of keeping the coolness in summer and the temperature in winter as 100% thanks to polyamide barriers.

Summer Winter Outdoor Pleasure



It is a type of movable glass that is produced as a special design and can be mounted on the areas used for closing the winter gardens, balconies and restaurants. Our company, on the other hand, prepares and assembles the highest quality guillotine glass application for our customers. Thanks to the Ada Yapı guillotine glass system, which has 100% thermal insulation, the protection of the heat in the room can be ensured at the maximum level.

Users can add a much more different atmosphere to their living spaces and can provide cleaning in the easiest way thanks to its ergonomics. The dimensions of our guillotine glass products are taken according to the living spaces of the users and their assembly is carried out according to these measurements. When choosing guillotine glass, users can choose products according to their own needs and act by considering their budgets.

















Hotel, home, store, restaurant, pastry shop, conservatory, terraces etc. You can use it anywhere.


It is more useful than other systems. It is designed to turn the indoor space into an open space with a click of a button. The system opens and closes by moving up and down. There are insulated and single glazing options with 3 wings.


One of the wings is fixed and the other two are moving. You can stop the moving wings at the level you want. You can open half or full. The system can optionally be collected both below and above.

It is never water and air tight when closed. It gives near perfect results with insulated glass. With its modern and elegant appearance, it adapts to any environment. It is the quietest employee of its peers.





	WA 4001	HAREKETLİ KÜPEŞTE YAN DİKME PROFİLİ LIFTING BALUSTRAD E VERTICAL FRAME PRF.
	WA 4002	HAREKETLİ KÜPEŞTE KUTU ÖN VE ARKA P. L.B FRONT-BACK OF THE ENGINE BOX
	WA 4003	HAREKETLİ KÜPEŞTE KUTU ALT VE ÜST P. L.B BOTTOM-TOP OF THE ENGINE BOX
	WA 4004	HAREKETLİ KÜPEŞTE KUTU ALTI U PROFİLİ LIFTING BALUSTRAD E UNDER ENGINE BOX U
	WA 4005	HAREKETLİ KÜPEŞTE CAM BAZA TIRNAKLI L.B PROTRUDING GLASS VANE PRF.
	WA 4006	HAREKETLİ KÜPEŞTE CAM BAZA TIRNAKSIZ L.B UN PROTRUDING GLASS VANE
	WA 4012 1	KÜPEŞTE 8mm YAN BAZA PRF. VERTICAL 8mm GLASS VANE PRF.
	WA 4007	HAREKETLİ KÜPEŞTE TABAN KUTU PROFİLİ LIFTING BALUSTRAD E BOTTOM FRAME
	WA 4009	HAREKETLİ KÜPEŞTE VİDA ÇITASI LIFTING BALUSTRAD E HIDING SCREWS
	WA 4010	KÜPEŞTE ISICAM BAZA TIRNAKLI THERMOPANE PROTRUDING GLASS VANE
	WA 4011	KÜPEŞTE ISICAM BAZA TIRNAKSIZ P. THERMOPANE UNPROTRUDING GLASS VANE
	WA 4012	KÜPEŞTE ISICAM YAN BAZA PRF. THERMOPANE VERTICAL GLASS VANE PRF.







	WP 4110	KÜPEŞTE ALT KUTU TAKOZU BALUSTRADE BOTTOM FRAME ADAPTERS
	WP 4111	KÜPEŞTE ISICAM TEKERİ BALUSTRADE THERMAL VANE WHEEL
	WP 4112	KÜPEŞTE ISICAM YAN KAPAK BALUSTRADE THERMAL VANE CAP




HAREKETLİ KÜPEŞTE AÇIK GÖRÜNÜMÜ
LIFTING BALUSTRADE OPEN VIEW







HAREKETLİ KÜPEŞTE ÜST GÖRÜNÜMÜ
LIFTING BALUSTRADE TOP VIEW




HAREKETLİ KÜPEŞTE KAPALI GÖRÜNÜMÜ
LIFTING BALUSTRADE CLOSED VIEW




WP-4104





ISICAMLI HAREKETLİ KÜPEŞTE AÇIK GÖRÜNÜMÜ
THERMOPANE LIFTING BALUSTRADE OPEN VIEW





ISICAMLI HAREKETLİ KÜPEŞTE ÜST GÖRÜNÜMÜ
THERMOPANE LIFTING BALUSTRADE TOP VIEW



ISICAMLI HAREKETLİ KÜPEŞTE KAPALI GÖRÜNÜMÜ
THERMOPANE LIFTING BALUSTRADE CLOSED VIEW



WP-4104



Folding Glass

Whatever the shape of the glass balcony you need, you need to know that the best quality materials will be used and we will give the best glass balcony prices.

First Class Elegance



When opened, they gather on the edge and make you feel like you're not there. From a health point of view, since the materials used are only glass and 1st class aluminum, they do not have harmful effects like plastic, and they provide ventilation when we want. Folding glass balcony systems do not contradict the local zoning regulations and create a permanent stylish and aesthetic appearance on the exterior of the building.

People who like to sit in the open and fresh air start not being able to spend time on their balconies when the cold winter months come. However, thanks to the glass balcony systems, you can continue to spend time on your balconies throughout the four seasons. Glass balcony systems that allow you to spend time on balconies at any time of the day with their modern structure, aesthetic appearance, stylish design and quality materials are systems that you can use for many years.



















The glasses in the glass balcony systems can move to the right and left directions. These systems, produced with tempered glass, have a foldable structure.




Glasses mounted in stainless aluminum profiles allow the systems to flex easily. Glass panels are mounted on the bottom and parts, wheels are mounted inside the aluminum rail.


Glass balcony systems with child locks allow you to create highly reliable environments. What are the Advantages of Glass Balcony Systems?

When you use glass balcony systems, it provides protection against sun rays in hot weather, and you can enjoy the rain in cold weather.








	WA 5027	EKSPRES OLUKLU KASA EXPRESS BOTTOM FRAME
	WA 5016	EKSPRES ÜST KASA EXPRESS TOP FRAME
	WA 5018	EKSPRES 10mm CAM BAZA EXPRESS 10mm VANE
	WA 5014	EKO DUVAR YAN KASA ECO VERTICAL WALL FRAME
	WA 7024	ALÜMİNYUM 8 mm h FITİL ALUMINUM 8 mm h GASKET
	WA 7023	ALÜMİNYUM 8 mm H FITİL ALUMINUM 8mm H GASKET
	WA 7021	ALM. 8 mm 135 DİŞİ FITİL ALM. 8mm 135° GASKET
	WA 7022	ALÜMİNYUM 8 mm 90 FITİL ALM.8 mm 90° GASKET
	WA 7025	ALÜMİNYUM 10 mm h FITİL ALM. 10 mm h GASKET
	WA 7026	ALÜMİNYUM 10 mm H FITİL ALUMINUM 8mm H GASKET
	WA 7027	ALM. 10 mm 135 DİŞİ FITİL ALM. 10 mm 135° GASKET
	WA 7028	ALM. 10 mm 90 FITİL ALM. 10 mm 90° GASKET
	WP 8001	10mm BAZA APARATI 10mm VANE PART
	WF 7020	EKO YAN DİKME CONTASI ECO VERTICAL WALL FRAME GASKET





A2 = WA-7025 , WA-6039 , WP-6037 ve WP-6027 olmadan yapılır. WP-6027 yerine WP-6038-1 teker takılır.
 A2 = There are no WA-7025 , WA-6039 , WP-6037 and WP-6027. Instead WP-6027 use WP-6038-1 wheel







World Class Professional Manufacturing

7051 W Addison St. Chicago, IL 60634
USA

1 773 780-9559

www.aluminumlux.com

info@aluminumlux.com



Our Contact
Information

